## Acta Mechanica

2005

## Contents

Addessi, D., Lacarbonara, W., Paolone, A. Free in-plane vibrations of				
highly buckled beams carrying a lumped mass.	180,	133 -	_ *	156
Abed, F. H., Voyiadjis, G. Z. A consistent modified Zerilli-Armstrong flow				
stress model for BCC and FCC metals for elevated temperatures	175,	1 -	_	18
Abid, M., Siddique, M. Finite-element simulation of tack welds in girth				
welding of a pipe-flange joint.	178,	53 -	_	64
Afify, A. A., Aboeldahab, E. M., Mohamed, E. S. Similarity analysis				
in magnetohydrodynamics: Hall effects on forced convective heat and				
mass transfer of non-Newtonian power law fluids past a semi-infinite				
	177,	71	_	87
Agarwal, V. K., Carroll, M. M. Admissibility conditions on				
principal strain invariants.	177,	89	_	96
Aouadi, M. Electromagneto-thermoelastic fundamental solutions in a				
two-dimensional problem for short time.	174,	223	_	240
Argatov, I. I. The pressure of a punch in the form of an elliptic paraboloid				
on a thin elastic layer.	180.	221	_	232
Belevich, M. Relationship between standard and causal fluid models	180.	83	_	106
Bera, N., Dey, J. Linear instability of flow over a semi-infinite plate in a	,			
stream with uniform shear.	180	245	_	250
Berezovski, A., Maugin, G. A. On the velocity of a moving	1001			
phase boundary in solids	179	187	_	196
Blyth, M. G., Pozrikidis, C. Stagnation-point flow against a liquid	,			
film on a plane wall.	180	203	_	219
Room U.G. Jeong K. M. Crack growth in terroelectric ceramics				
under electric loading.	177	43	_	60
Böhme, G., Pokriefke, G. Nonlinear superposition of unidirectional	,			
and plane flows of viscoelastic Lodge fluids.	176	197	_	211
Braunbrück, A., Ravasoo, A. Application of counterpropagating	170,	177		
nonlinear waves to material characterization.	174	51	_	61
Brock, L. M. Thermal relaxation effects in rapid sliding contact with friction.				
Buryachenko, V. A., Roy, A. Effective thermoelastic moduli and stress	1,0,	100		170
concentrator factors in nanocomposites.	177	149	_	169
Chakraborti, A., Gupta, A. S., Das, B. K., Jana, R. N.	17.7	147		107
Hydromagnetic flow past a rotating porous plate in a conducting fluid				
rotating about a noncoincident parallel axis.	176	107	_	119
Challamel, N., Hjiaj, M. Non-local behavior of plastic softening beams.	178	125		
Chen, CK., Lin, D. T. W. TIP4P potential for lid-driven cavity flow.	178	223		
Chen, Y. Z., Lin, X. Y., Wang, Z. X. Solution of periodic group crack	1,0,			20,
problems by using the Fredholm integral equation approach	178	41	_	51
Chen, CI., Chen, CK., Yang, YT. Nonlinear stability analysis	170,	41		01
of thin Newtonian film flowing down on the inner surface of a				
rotating vertical cylinder	179	227	_	248
Chiou, MC., Wang, Y., Hutter, K. Influence of obstacles on rapid	,	des des 7		2.10
granular flows.	175	105	_	122
Choi, S. B., Han, S. S., Han, Y. M. Vibration control of a smart material	1,0,	.00		1 ===
based damper system considering temperature variation and time delay	180	. 73	_	82
Choi, S. B., Han, Y. M. Hysteretic behavior of a magnetorheological fluid:	100	, ,		02
experimental identification.	180	, 37	_	47
Degan, G., Vasseur, P., Awanou, N. C. Anisotropy effects on non–Darcy	100	3/		7/
natural convection from concentrated heat sources in porous media	179	, 111	_	130
Dong, YH., Lu, XY. Direct numerical simulation of stably and unstably	.,,,			.00
stratified turbulent open channel flows.	177	115	_	136
Stratified torbulett Open Charife Hows				- 45

Dorfmann, A., Ogden, R. W. Nonlinear electroelasticity.	174,	167	-	183
Du, Q., Li, X. Effect of gas stream swirls on the instability of viscous annular				0.4
liquid jets.	176,	61	-	81
Elbarbary, E. M. E., Elgazery, N. S. Flow and heat transfer of a micropolar				
fluid in an axisymmetric stagnation flow on a cylinder with variable properties				
and suction (numerical study).	176,	213	-	229
Elishakoff, I., Gentilini, C., Viola, E. Three-dimensional analysis of an				
all-round clamped plate made of functionally graded materials	180,	21	_	36
Erdoğan, M. E., Imrak, C. E. On the axial flow of an incompressible				
viscous fluid in a pipe with a porous boundary.	178,			
Ercengiz, A. Oscillating two-phase flow in a prestressed thick elastic tube	179,	169	-	185
Fang, Q. H., Liu, Y. W., Jiang, C. P. On the interaction between a screw				
	180,	175	_	193
Gao, Y., Wang, M. Z. A refined beam theory based on the refined plate				
theory.	177,	191	<b>—</b>	197
Ghosh, S., Niyogi, P. Evaluation of non-oscillatory schemes based on				
LED principle for supersonic flow computations.	177,	29	-	41
Govorukha, V., Kamlah, M. Investigation of an interface crack with a				
contact zone in a piezoelectric bimaterial under limited permeable electric				
boundary conditions	178,	85	_	99
Gürleyük, S. S. Vibration reduction in a step motor using optimal control				
time intervals and amplitudes	177,	137	_	148
Haddad, O. M., Al-Nimr, M. A., Abuzaid, M. M. The effect of frequency of				
fluctuating driving force on basic gaseous micro-flows	179,	249	-	259
Hochrainer, M. J. Tuned liquid column damper for structural control.	175,	57	-	76
Huang, GY., Wang, YS., Yu, SW. Stress concentration at a				
penny-shaped crack in a nonhomogeneous medium under torsion	180,	107	- Spin-	115
Hudspeth, R. T., Guenther, R. B., Fadel, S. Chaotic analyses of weakly				
damped parametrically excited cross waves with surface tension	175,	139	_	179
Irschik, H., Pichler, U. On eigenstrains without displacements.	178,	111	_	122
Kirillov, O. N. A theory of the destabilization paradox in				
non-conservative systems.	174.	145	_	166
Kuhl, E., Steinmann, P. A hyperelastodynamic ALE formulation based on				
referential, spatial and material settings of continuum mechanics.	174.	201	-	222
Kulkarni, S. S., Mitrea, I., Mukherjee, S. A weakly singular integral				
				9
formulation for displacement prescribed problems of elasticity.	176.			44
formulation for displacement prescribed problems of elasticity.	176,			44
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of		27	-	
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.		27	-	
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on		27	-	
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily		27	-	
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda	175,	27 25	-	43
formulation for displacement prescribed problems of elasticity. <b>Kurashige, M., Sato, K., Imai, K.</b> Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio. <b>Laura, P. A. A., Rossit, C. A., Maiz, S.</b> Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).	175, 176,	27 25 127		43 130
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure	175, 176, 179,	27 25 127 1		43 130 10
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.	175, 176, 179,	27 25 127		43 130 10
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions	175, 176, 179, 178,	27 25 127 1 23		130 10 39
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.	175, 176, 179, 178,	27 25 127 1		130 10 39
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on  "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in	175, 176, 179, 178,	27 25 127 1 23 77		130 10 39 89
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on  "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.	175, 176, 179, 178,	27 25 127 1 23 77		130 10 39 89
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain I.	175, 176, 179, 178, 174,	27 25 127 1 23 77 231		130 10 39 89 243
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain I.  The Dirichlet-Eshelby problem	175, 176, 179, 178, 174,	27 25 127 1 23 77 231		130 10 39 89 243
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain I.  The Dirichlet-Eshelby problem  Li, XF., Yang, J. S., Jiang, Q. Spatial dispersion of short surface	175, 176, 179, 178, 174, 176,	27 25 127 1 23 77 231 67		130 10 39 89 243 90
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain l. The Dirichlet-Eshelby problem  Li, XF., Yang, J. S., Jiang, Q. Spatial dispersion of short surface acoustic waves in piezoelectric ceramics.	175, 176, 179, 178, 174, 176,	27 25 127 1 23 77 231 67		130 10 39 89 243 90
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain I. The Dirichlet-Eshelby problem  Li, XF., Yang, J. S., Jiang, Q. Spatial dispersion of short surface acoustic waves in piezoelectric ceramics.  Librescu, L., Marzocca, P. Advances in the linear/nonlinear control of	175, 176, 179, 178, 174, 176, 179,	27 25 127 1 23 77 231 67		43 130 10 39 89 243 90 20
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain I.  The Dirichlet-Eshelby problem  Li, XF., Yang, J. S., Jiang, Q. Spatial dispersion of short surface acoustic waves in piezoelectric ceramics.  Librescu, L., Marzocca, P. Advances in the linear/nonlinear control of aeroelastic structural systems.	175, 176, 179, 178, 174, 176, 179,	27 25 127 1 23 77 231 67		43 130 10 39 89 243 90 20
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on  "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain I.  The Dirichlet-Eshelby problem  Li, XF., Yang, J. S., Jiang, Q. Spatial dispersion of short surface acoustic waves in piezoelectric ceramics.  Librescu, L., Marzocca, P. Advances in the linear/nonlinear control of aeroelastic structural systems.  Lindner-Silwester, T., Schneider, W. The moving contact line with weak	175, 176, 179, 178, 174, 176, 180, 178,	27 25 127 1 23 77 231 67 11		43 130 10 39 89 243 90 20
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on  "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain I.  The Dirichlet-Eshelby problem  Li, XF., Yang, J. S., Jiang, Q. Spatial dispersion of short surface acoustic waves in piezoelectric ceramics.  Librescu, L., Marzocca, P. Advances in the linear/nonlinear control of aeroelastic structural systems.  Lindner-Silwester, T., Schneider, W. The moving contact line with weak viscosity effects – an application and evaluation of Shikhmurzaev's model.	175, 176, 179, 178, 174, 176, 180, 178,	27 25 127 1 23 77 231 67 11		43 130 10 39 89 243 90 20
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on  "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain I.  The Dirichlet-Eshelby problem  Li, XF., Yang, J. S., Jiang, Q. Spatial dispersion of short surface acoustic waves in piezoelectric ceramics.  Librescu, L., Marzocca, P. Advances in the linear/nonlinear control of aeroelastic structural systems.  Lindner-Silwester, T., Schneider, W. The moving contact line with weak viscosity effects – an application and evaluation of Shikhmurzaev's model.  Livieri, P., Segala, F., Ascenzi, O. Analytic evaluation of the difference	175, 176, 179, 178, 174, 176, 180, 178, 176,	27 25 127 1 23 77 231 67 11 147 245		43 130 10 39 89 243 90 20 186 258
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain I. The Dirichlet-Eshelby problem  Li, XF., Yang, J. S., Jiang, Q. Spatial dispersion of short surface acoustic waves in piezoelectric ceramics.  Librescu, L., Marzocca, P. Advances in the linear/nonlinear control of aeroelastic structural systems.  Lindner-Silwester, T., Schneider, W. The moving contact line with weak viscosity effects – an application and evaluation of Shikhmurzaev's model.  Livieri, P., Segala, F., Ascenzi, O. Analytic evaluation of the difference between Oore-Burns and Irwin stress intensity factor for elliptical cracks.	175, 176, 179, 178, 174, 176, 180, 178, 176,	27 25 127 1 23 77 231 67 11 147 245		43 130 10 39 89 243 90 20 186 258
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain l. The Dirichlet-Eshelby problem  Li, XF., Yang, J. S., Jiang, Q. Spatial dispersion of short surface acoustic waves in piezoelectric ceramics.  Librescu, L., Marzocca, P. Advances in the linear/nonlinear control of aeroelastic structural systems.  Lindner-Silwester, T., Schneider, W. The moving contact line with weak viscosity effects – an application and evaluation of Shikhmurzaev's model.  Livieri, P., Segala, F., Ascenzi, O. Analytic evaluation of the difference between Oore-Burns and Irwin stress intensity factor for elliptical cracks.  Liu, J. X. Comments and authors' reply on "Explicit expressions of	175, 176, 179, 178, 174, 176, 180, 178, 176,	27 25 127 1 23 77 231 67 11 147 245		43 130 10 39 89 243 90 20 186 258
formulation for displacement prescribed problems of elasticity.  Kurashige, M., Sato, K., Imai, K. Mandel and Cryer problems of fluid-saturated foams with negative Poisson's ratio.  Laura, P. A. A., Rossit, C. A., Maiz, S. Comments on "Faber series method for two-dimensional problems of an arbitrarily shaped inclusion in piezoelectric materials" by CF. Gao and N. Noda (Acta Mech. 171, 1–13, August 2004).  Lazopoulos, K. A. Stability of an elastic tensegrity structure  Lenci, S., Callegari, M. Simple analytical models for the J-lay problem.  Li, B., Chen, Y., Zhang, H. Q. Soliton-like solutions and periodic form solutions for two variable-coefficient evolution equations using symbolic computation.  Li, D., Tang, G., Zhou, J., Lei, Y. Buckling analysis of a plate with built-in rectangular delamination by strip distributed transfer function method.  Li, S., Sauer, R., Wand, G. A circular inclusion in a finite domain I. The Dirichlet-Eshelby problem  Li, XF., Yang, J. S., Jiang, Q. Spatial dispersion of short surface acoustic waves in piezoelectric ceramics.  Librescu, L., Marzocca, P. Advances in the linear/nonlinear control of aeroelastic structural systems.  Lindner-Silwester, T., Schneider, W. The moving contact line with weak viscosity effects – an application and evaluation of Shikhmurzaev's model.  Livieri, P., Segala, F., Ascenzi, O. Analytic evaluation of the difference between Oore-Burns and Irwin stress intensity factor for elliptical cracks.	175, 176, 179, 178, 174, 176, 180, 178, 176,	27 25 127 1 23 77 231 67 11 147 245 95		43 130 10 39 89 243 90 20 186 258

Liu, Y., Chen, YH. An analytical solution for a cracked piezoelectric				
plate according to the PKHS electric boundary condition	180,	233 -	2	44
Liu, Y. W., Fang, Q. H., Jiang, C. P. Interaction between an edge				
dislocation and a circular inclusion with interfacial rigid lines	180,	157 -	. 1	74
Liu, Z. G., Wang, R., Ma, J. J. Interaction of the mode-III antiplane				
shear crack with a circular inhomogeneity.	178,	101 -	- 1	09
Lu, XY., Yin, XZ. Propulsive performance of a fish-like				
travelling wavy wall.	175,	197 -	- 2	15
Luongo, A., Di Egidio, A., Paolone, A. Qualitative analysis of classes of				
motion for multiresonant systems I. An algebraic method	174,	91 -	- 1	07
Luongo, A., Di Egidio, A., Paolone, A. Qualitative analysis of				
classes of motion for multiresonant systems II. A geometrical method	174,	109 -	- 1	24
Maikap, T. K., Mahapatra, T. R., Niyogi, P., Ghosh, A. K.				
Numerical investigation of laminar separated flow through a channel				
with symmetric double expansion	179,	197 -	- 2	10
Miladinova, S., Lebon, G. Effects of nonuniform heating and				
thermocapillarity in evaporating films falling down an inclined plate	174,	33 -	-	49
Mizuno, M., Honda, Y. Simplified analysis of steady-state crack growth of				
piezoelectric ceramics based on the continuum damage mechanics	179,	157 -	- 1	68
Ng, CO., Bai, YC. Dispersion in oscillatory Couette				
flow with sorptive boundaries.	178,	65 -	-	84
Nicholson, D. W. Iterative triangularization of updated finite element				
știffness matrices.	174,	241 -	- 2	249
Nicholson, D. W. Stiff arc length constraint in nonlinear FEA	175,	123 -	- 1	137
Nyashin, Y., Lokhov, V., Ziegler, F. Stress-free displacement				
control of structures.	175,	45 -	_	56
Othman, M. I. A. Effect of rotation and relaxation time on a thermal				
shock problem for a half-space in generalized thermo-viscoelasticity	174,	129 -	- 1	143
Papargyri-Beskou, S. Finite-element analysis of an axisymmetric.				
thin-walled, nonlinear elastic pressurized torus.	178,	1 -	-	22
Phani, A. S., Venkatraman, K. Damping characteristics of				
electro-rheological fluid sandwich beams.	180,	195 -	- 2	201
Potapenko, S. Fundamental sequences of functions in the				
approximation of the solution to the mixed boundary-value problem				
in anti-plane Cosserat elasticity.	177,	61 -	_	69
Qiao, Y. A theoretical analysis on the dynamic cleavage cracking				
in a constant-K specimen.	175,	19 -	-	24
Rohlf, K., D'Alessio, S. J. D. Uniform shear flow past a circular cylinder	178,	199 -	- 2	222
Sarvestani, A. S. Binary inclusion model for the overall elasticity of				
imperfectly bonded composites.	176,	153 -	- '	167
Sawaguchi, H., Kurashige, M. Constant strain-rate compression test of a				
fluid-saturated poroelastic sample with positive or negative Poisson's ratio	179,	145	- '	156
Scarpetta, E., Tibullo, V. Wave penetration in elastic solids with				
periodic array of rectangular defects: oblique incidence	174,	21 -	-	31
Seddeek, A. M. Finite-element method for the effects of chemical				
reaction, variable viscosity, thermophoresis and heat generation/				
absorption on a boundary-layer hydromagnetic flow with heat and				
mass transfer over a heat surface	177,	1 -	_	18
Seredyńska, M., Hanyga, A. Nonlinear differential equations with				
fractional damping with applications to the 1dof and 2dof pendulum	176,	169	-	183
Siddiqui, A. M., Ahmed, M., Ghori, Q. K. Homotopy analysis of				
Couette and Poiseuille flows for fourth grade fluids	180,	117	-	132
Stampouloglou, I. H., Theotokoglou, E. E., Panayotounakos, D. E.				
Exact analytic solutions of the nonlinear partial differential equations				
governing rigid perfect plasticity problems.	174,	1	-	20
Sun, JL., Zhou, ZG., Wang, B. Dynamic behavior of a crack in a				
functionally graded piezoelectric strip bonded to two dissimilar half				
piezoelectric material planes.	. 176,	45	-	60
Suzuki, T., Sasaki, T., Hirashima, K., Kimura, K. Analyses of isotropic				
piezoelectric materials with multilayered elliptical inclusion under				
out-of-plane shear loadings	. 179,	211	-	225

Tashtoush, B., Duwairi, H. M. Transient mixed convection with internal				
heat generation and oscillating plate temperature.	174,	185	-	199
Tsay, YL., Chang, T. S., Cheng, J. C. Heat transfer enhancement				
of backward-facing step flow in a channel by using baffle installation				
on the channel wall.	174,	63	-	76
Tsogas, V., Kalvouridis, T. J., Mavraganis, A. G. Equilibrium states of a				
gyrostat satellite in an annular configuration of N big bodies	175,	181	-	195
Tzeng, SC., Lin, CW., Huang, K. D. Heat transfer enhancement of				
nanofluids in rotary blade coupling of four-wheel-drive vehicles	179,	11	-	24
Usha, R., Ravindran, R., Uma, B. Dynamics of a thin film with				
temperature-dependent viscosity on a rotating disk	179,	25	-	40
Usha, R., Senthilkumar S., Tulapurkara, E. G. Stability characteristics				
of suspension flow through wavy-walled channels	176,	1	-	26
Uyguroğlu, M., Demirel, H. Kinematic analysis of bevel-gear				
trains using graphs.	177,	19	-	27
Valanis, K. C., Panoskaltsis, V. P. Material metric, connectivity				
and dislocations in continua.	175,	77	-	103
Wang, C., Guo, W., Feng, Q. Deflection and stability of				
membrane structures under electrostatic and Casimir forces in				
microelectromechanical systems.	180,	49	_	60
Wang, G., Li, S., Sauer, R. A circular inclusion in a finite domain II.				
The Neumann-Eshelby problem	179,	91	-	110
Wang, G. F., Schiavone, P., Ru, CQ. Surface instability of a semi-infinite				
harmonic solid under van der Waals attraction	180,	1	_	10
Wang, X. D., Jiang, L. Y. The effective electroelastic property of				
cracked piezoelectric media	177,	97	-	113
Missesham A Lameli C Alreal M Effect of language and plated				
bottoms on thin gravity-driven films	179,	41	_	66
Wu, B. S., Li, Z. G. Reanalysis of structural modifications due to				
removal of degrees of freedom.	180,	61	_	71
Xenos, M., Dimas, S., Kafoussias, N. MHD compressible turbulent				
boundary-layer flow with adverse pressure gradient	177,	171	_	190
W. H. D. I. O. T. M. A. Oli:				
path-dependence properties and non-integrability problems.	176,	135	_	151
Variable 21 and 11 C Daniel and 11 C Carrier and 11 C Car				
between a piezoelectric half-space and a semiconductor film.	176,	83	-	93
Yang, YC., Lee, HL., Chang, WJ. An inverse problem in simultaneously				
estimating boundary moisture fluxes in a porous annular cylinder	179,	131	_	144

